



XPENG New X9

THE NEXT AI-VOLUTION

Ultra Intelligent 7 seater

Powered by Turing chip



XPENG

REAR-WHEEL STEERING : Precision in every turn

Starship Design 2.0

- Evolves into a second-generation Land Starship with a bold aerodynamic silhouette with futuristic proportion and posture
- Achieved an ultra-low drag coefficient of 0.236 Cd

Standard Active Rear-Wheel Steering

- Minimum turning radius of 5.4m, maximum turning angle of $\pm 5^\circ$
- Average reduction of 42° in steering direction, allowing for flexible turning



SPACE LIKE MAGIC : Expansive Space, Elevated Comfort

Superior 7.7m² interior space, largest in its class

- One-click easy access to 3rd row
- 1100mm extra-long electric slide rail
- 180mm center channel for easy cabin accessibility

Bigger than Bigger Storage Space

- 7 passenger 7 suitcase in one car
- Full flat boot and outstanding in-cabin height for everything
- Expandable boot space ranging from 721L to 2554L



INTELLIGENT REVOLUTION

XOS Tianji

- Powered by the industry-leading automotive cockpit chip of Qualcomm Snapdragon 8295
- XCombo: Ever evolving Customized Smart Cabin, Split-screen
- Multi-application Interaction Carplay & Android Auto
- "Hey XPENG" all-scenario six-zone voice control
- 21 inch W-HUD projects driving speed and navigation directly into the driver's line of sight (New)



XPILOT Assist

- 27 Sensors + XP5 Supercomputing Processor (New)
- Surrounding Reality, comprehensive real-time road awareness
- 360° Camera Transparent chassis, zero blind spots
- ACC + LCC, SAS + ATC Integrated intelligent driving assistance

Intelligent Parking Assist

- APA+RPA easily controlled right from your mobile phone
- Reverse Drive Assist automatically retraces the original driving path

AI-ENHANCED COMFORT FOR EVERY PASSENGER



A Lounge-like Cabin Experience

- Electric soft-close door (New)
- Segment-only dual chamber air suspension
- Zero-gravity space seat with 10-point massage
- Cloud-Sense 3.0 crafted from Nappa leather with baby-safe, chrome-free materials
- Active real-time Road Noise Cancellation



Immersive Sensory Experience

- 27 speakers XOPERA audio system included driver seat speakers (New)
- 21.4" Home entertainment ecosystem, the largest in its class
- 17.3" Control center Headunit with XCombo split-screen multitasking & XDock shortcut bar customization
- Integrated Electric Freezing & Heating Refrigerator with powered drawer
- Multi-color rhythmic surrounding LED atmosphere light



GLOBAL TOP SAFETY STANDARD : EN-NCAP 5 STAR

Designed to Global Safety Standards

Passed the stringent rear collision safety test standards of China, the US, and Europe.

Intelligent Safety

- Front and rear integrated aluminum die-casting with a massive 46,000 N·m/deg vehicle torsional stiffness
- 2000Mpa Cage-style Body Structure with 19 Circular Safety Designs
- 9 airbags (New)
- 16 active safety features
- Flat tire stability control, stable driving after a tire blowout

5C BATTERY : ULTRA FAST CHARGING

800V High-voltage Silicon Carbide Platform

- Ultra-long driving range up to 715 km* (NEDC) | Maximum power consumption per 100km: 10.2 kWh (New)
- Maximum DC fast charging peak power up to 542 kW*
- Next Gen 5C Battery, 12 minutes charge from SOC 10%-80% (New)



Up to
715 KM*
NEDC Range

*Specification refer to New X9 Long Range (Pro & Pro+) variant.

Appearance color



Arctic White



Silver Frost



Matte Gray




Midnight Black

Contact

Specification	Standard Range	Long Range Pro	Long Range Pro+
---------------	----------------	----------------	-----------------

DIMENSION

	Length x Width x Height (mm)		5316/1988/1785	
	Wheelbase (mm)		3160	
	Number of Seats		7	
	Curb Weight (kg)	2750	2690	2690
	Gross Vehicle Mass (GVM) (kg)	3325	3300	3300
	Trunk Space (L)	721	721	721

COMPREHENSIVE PERFORMANCE

Standard Range Pro		Long Range Pro	Long Range Pro+
Drivetrain	FWD	FWD	FWD
Motor type	PMSM	PMSM	PMSM
Power output (kW)	235	235	235
Torque (N·m)	450	450	450
Top Speed (km/h)	200	200	200
Acceleration (0~100km/h) (s)	8.2	7.75	7.75
Cell Type	LFP	NCM	NCM
Gross battery capacity (kWh) *New*	94.8	110	110
NEDC Driving Range (km) *New*	620	715	715
AC charging power (kW)	11	11	11
AC charging time (5~100%)	9.5h	11h	11h
DC fast charging peak power (kW) *New*	537	542	542
DC charging time (10-80%)*New*	12min	12min	12min
Intelligent dual-chamber air spring	•	•	•
Drag Coefficient	236	236	236
Active rear wheel steering system	•	•	•



INTELLIGENT DRIVING ASSISTANCE SYSTEM

	Standard Range Pro	Long Range Pro	Long Range Pro+
Hardware System			
Turing XP5 *New*	1	1	1
Millimeter wave radar (pieces)	3	3	3
Ultrasonic radar (pieces)	12	12	12
Number of cameras (including fatigue monitoring cameras) (pieces)	12	12	12
Sub-meter level high-precision positioning unit	•	•	•
XPILOT ASSIST Driving			
SR environment simulation display	•	•	•
Adaptive Cruise Control (ACC)	•	•	•
Lane Centering Control (LCC)	•	•	•
Adaptive Turning Cruise (ATC)	•	•	•
Intelligent speed limit assist (SAS)	•	•	•
XPILOT ASSIST Parking			
Enhanced Auto Parking Assist (EAP)	•	•	•
Auto Exit Parking Assist (AEP)	•	•	•
Remote Parking Assist (RPA)	•	•	•
Remote Vehicle Summon (RVS)	•	•	•
Parking assist with 360° camera	•	•	•
Transparent Chassis	•	•	•
XPILOT ASSIST Safety			
Forward Collision Prevention			
Forward Distance Monitoring (FDM)	•	•	•
Forward Collision Warning (FCW)	•	•	•
Autonomous Emergency Braking (AEB)	•	•	•
Traffic Sign Recognition (TSR)	•	•	•
Speed Assistant System (SAS)	•	•	•
Intelligent High Beam (IHB) (automatic switching between high and low beams)	•	•	•
Driver State Monitoring (DSM)	•	•	•
Side Collision Prevention			
Blind Spot Detection (BSD)	•	•	•
Door Open Warning (DOW)	•	•	•
Lane Departure Warning (LDW)	•	•	•
Lane Keep Assistance (LKA)	•	•	•
Emergency Lane Keeping (ELK)	•	•	•
Rear Collision Prevention			
Rear Collision Warning (RCW)	•	•	•
Rear Cross-Traffic Alert (RCTA)	•	•	•
Reverse car side warning	•	•	•
Narrow path assistance (automatically activating surround view image when approaching obstacles at low speeds)	•	•	•

Specification	Standard Range Pro	Long Range Pro	Long Range Pro+
Xmart OS			
Hardware			
Chipset	8295	8295	8295
Digital dashboard	•	•	•
Central control screen-17.3 inch	•	•	•
Passenger entertainment screen-21.4 inch	•	•	•
Front passenger additional Bluetooth connection	•	•	•
Mobile Phone Bluetooth key	•	•	•
Automatic Mobile Phone Unlocking	•	•	•
Mobile App Remote Control	•	•	•
App intelligent car locating	•	•	•
Software			
Hey XPENG voice assistant	•	•	•
Smart Navigation	•	•	•
DAB + FM radio	•	•	•
App Library	•	•	•
Apple Carplay	•	•	•
Android Auto	•	•	•
Welcome Mode	•	•	•
Meditation Mode	•	•	•
Over-The-Air (OTA) software updates	•	•	•

Exterior

Exterior Color				Wheel Hub Style	
					20-inch Stationary Emblem Wheel Hub
Matte Gray	Midnight Black	Silver Frost	Arctic White	Standard Range Pro	Long Range Pro
				Long Range Pro+	

LED Auto-sensing high beams and Dipped Headlights	•	•	•
LED Auto On/Off Headlights	•	•	•
Headlight height adjustment	•	•	•
Rain sensing automatic wiper	•	•	•
External rearview mirror (with electric folding/heating/memory/blind spot monitoring)	•	•	•
Electric Hidden Door Handles	•	•	•
Power soft-closing front door *New*	•	•	•
Panoramic canopy	•	•	•
Sky curtain sunshade (front manual/rear electric)	•	•	•
Soundproof glass (front windshield/first row/second row/sunroof)	•	•	•
Privacy glass (second/third row/rear windshield)	•	•	•
Intelligent anti pinch electric sliding door (both sides)	•	•	•
Four windows one key lifting (with anti pinch function)	•	•	•
Electric tailgate	•	•	•
Electric charging cover	•	•	•
V2L-6kW *New*	•	•	•

Interior

Coffee	Meteorite Black	Rose Brown
		
21 inch Headup Display *New*	•	•
Ultra fiber Steering Wheel	•	•
Multi color rhythmic surround LED ambient light	•	•
Front row dual 50W air-cooled mobile phone wireless fast charging	•	•
No. of USB	Type C*5 + USB*1 + 12V*2	
Integrated cold and hot electric open close refrigerator	•	•
Sound System		
27 speaker XOPERA audio system *New*	•	•
1552W external amplifier power/7.1.6 channels	•	•
Air-conditioning & Heat Pump		
Windless Surrounding Central Air Conditioning	•	•
Intelligent five zones constant temperature control	•	•
Air conditioning electric air outlet	•	•
Multi mode sweeping	•	•
CN95 air conditioning filter	•	•
PM2.5 monitoring and display	•	•
Air Quality Control System (AQS)	•	•

Specification	Standard Range Pro	Long Range Pro	Long Range Pro+
Exclusive First Row			
Electric driver seat with adjustable 12 ways（with 4-way lumbar support） /Electric passenger seat with adjustable 12 ways（with 4-way lumbar support）	●	●	●
Full grain top layer Nappa leather seats	●	●	●
Seat cushion and backrest heating/ventilation（3-Level adjustable）	●	●	●
Seat position memory/welcome function	●	●	●
Front seats massage	●	●	●
Exclusive driver's headrest speaker（2）	●	●	●
Co-pilot boss button	●	●	●
Flagship second row			
Zero-gravity Sofa Seats	●	●	—
Zero-gravity Grand Sofa Seats without aisle	—	—	●
Full grain top layer Nappa leather seats	●	●	●
Seat 14 way electric adjustment（including 4-way lumbar support/4-way leg support with heating）	●	●	—
Seat 18 way electric adjustment（including 4-way lumbar support/4-way leg support with heating/4-way headrest）	—	—	●
High quality folding table board（2）	●	●	●
180mm central channel	●	●	●
Pop up cup holder（2）	●	●	—
Flip over cup holder（2）	—	—	●
One click zero gravity sitting posture	●	●	●
Dual 50W air-cooled mobile wireless fast charging	●	●	●
Seat cushion and backrest heating/ventilation（3-speed adjustable）	●	●	●
Seat position memory/welcome function	●	●	●
SPA level ten point massage（6 intelligent scenarios）	●	●	●
EASY ENTRY One click for easy entry and exit	●	●	●
Window sunshade	●	●	●
Super third row			
One click electric magic storage	●	●	●
Electric stepless adjustment of backrest and headrest	●	●	●
Armrest cup holder（2）	●	●	●
Invisible sunken luggage compartment	●	●	●
Luggage compartment suspension lifting switch	●	●	●
Third row seat backrest control switch in luggage compartment	●	●	●
Seat heating	●	●	●
40/60 split folding	●	●	●
Safety			
Number of Airbags *New*	9	9	9
Bosch IPB Smart Brake System	●	●	●
Electric Stability Program（ESP）	●	●	●
Electronic parking brake	●	●	●
Autohold	●	●	●
Tire-pressure monitoring system（TPMS）	●	●	●
Front three-point dual-pretensioner Load Limit Adapter seat belt	●	●	●
Second row t three-point dual-pretensioner Load Limit Degressive seat belt	●	●	●
Third row left/center/right three-point seat belt（emergency locking type）	●	●	●
Side sliding door electronic child lock	●	●	●
Seat belt fastening reminder	●	●	●
Rear ISOFIX®	●4	●4	●4
Acoustic Vehicle Alerting System（AVAS）	●	●	●
E-call	●	●	●
Uphill/downhill assistance	●	●	●

1. The vehicle configuration information is only applicable to the corresponding models produced within a certain production month, and the vehicle configuration information produced during different production months might be different. The battery range and charging time are for reference only, and vary depending on the actual circumstances. The configuration table is only for reference, and the actual situation should be based on the actual vehicles sold by the sales store. XPENG has the right to explain and reserve the right to change technical parameters, configuration and other product information within the scope enforced by laws and regulations.

2. Unless otherwise noted, the performance data in the table are tested under standard configuration.

3. XPiLOT intelligent driving system is a driving assistance function and cannot cope with all traffic, weather and road conditions. The driver must always pay attention to observe the current traffic situation. If the automatic assist driving system fails to provide proper steering assistance or maintain proper distance and speed, the driver must actively intervene. Please read all information about XPiLOT in the driver manual to better understand the limitations of this system. The driver should be aware of these restrictions before using XPiLOT. Please be cautious during complex and changeable traffic conditions, icy and snowy roads, wet and slippery weather, stagnant or muddy roads, poor visibility, rugged mountain roads, or highway exits.

4. The acceleration data is obtained through tests and the actual 0-100 acceleration capability may vary due to different driving skills, remaining capacities, battery temperatures, road conditions, etc.

5. The actual range may differ from the calculated WLTP range, depending on the driver's driving style, speed, number of occupants, vehicle load, outdoor temperature, air conditioner use, terrain, vehicle condition, etc.

6. Actual DC charging time may vary depending on a variety of factors, including vehicle condition, ambient temperature, the initial state of charge, battery condition, and charger type.



@xpeng_id



@xpeng_id



@xpeng_id



@xpeng_id

Contact